

Product datasheet

Specifications

CLIPSAL



Tackle box, Clipsal General Accessories, 11 set of screw multipack type

357TACB

Main

| | |
|---------------------------|--|
| Range | Clipsal - General Accessories |
| Product brand | Clipsal |
| Product or component type | Tackle box |
| Material | Plastic |
| Colour tint | Box: translucent Cap: green |
| Main colour tint | Translucent green |
| Kit composition | Needle tip bugle screw 7g x 20 mm Needle tip bugle screw 7g x 30 mm Needle tip bugle screw 7g x 45 mm Drill tip button screw 8g x 20 mm Drill tip button screw 8g x 32 mm Needle tip bugle screw 8g x 20 mm Needle tip bugle screw 8g x 32 mm Drill tip flat screw 10g x 16 mm Needle tip flat screw 10g x 16 mm Drill tip pan screw 7g x 20 mm Drill tip pan screw 7g x 30 mm |

Complementary

| | |
|--------|----------|
| Width | 251 mm |
| Depth | 54.5 mm |
| Height | 174.4 mm |

Packing Units

| | |
|------------------------------|---------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 5.5 cm |
| Package 1 Width | 17.4 cm |
| Package 1 Length | 25.1 cm |
| Package 1 Weight | 2.7 kg |
| Unit Type of Package 2 | CAR |
| Number of Units in Package 2 | 3 |
| Package 2 Height | 18.5 cm |
| Package 2 Width | 22.5 cm |
| Package 2 Length | 27.5 cm |
| Package 2 Weight | 8.9 kg |

| | |
|-------------------------------------|--------|
| Unit Type of Package 3 | PAL |
| Number of Units in Package 3 | 220 |
| Package 3 Height | 110 cm |
| Package 3 Width | 114 cm |
| Package 3 Length | 114 cm |
| Package 3 Weight | 738 kg |



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

| | |
|--|---|
| Total lifecycle Carbon footprint | 2 kg CO2 eq. |
| Carbon footprint of the manufacturing phase [A1 to A3] | 1 kg CO2 eq. |
| Carbon footprint of the distribution phase [A4] | 0 kg CO2 eq. |
| Carbon footprint of the installation phase [A5] | 0.1 kg CO2 eq. |
| Carbon footprint of the use phase [B2, B3, B4, B6] | 0 kg CO2 eq. |
| Carbon footprint of the end-of-life phase [C1 to C4] | 0.6 kg CO2 eq. |
| Environmental Disclosure | Product Environmental Profile |

Use Better



Materials and Substances

| | |
|---------------------|---|
| EU RoHS Directive | Compliant |
| REACH Regulation | Free of Substances of Very High Concern above the threshold |
| Halogen-free status | Halogen free product |
| PVC free | No |

Use Longer



Lifetime extension

| | |
|--------|----|
| Repair | No |
|--------|----|

Use Again



Repack and remanufacture

| | |
|---------------------------------|--|
| Recyclability potential, in % | 95 |
| End of life manual availability | No need of specific recycling operations |
| Take-back | Nej |

Image of product / Alternate images

Alternative















