
# **II CLIPSAL**





4025H2-HB

! Discontinued on: 10 Sept 2025



### Main

Range of product	Saturn Series
Product brand	Clipsal

## Complementary

control type	ON/OFF button
Number of gangs	4 gangs
Pin number	3
Number Of Outlets	4
Actuator	Switch Rocker
Mounting Type	By screws
Local signalling	Without light indicator
Installation Orientation	Horizontal
Material	Plastic
Surface finish	Glossy
[Ue] rated operational voltage	250 V AC
[In] rated current	10 A
Embedding depth	15 mm
Depth	29 mm
Height	75 mm
Length	232 mm
Width	232 mm
Mounting Centers	84 mm

### **Environment**

Standards	AS/NZS 3100	
	AS/NZS 3112	
	AS/NZS 3133 approval number S/1	

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1

Package 1 Height	3 cm
Package 1 Width	23.5 cm
Package 1 Length	8 cm
Package 1 Weight	242.1 g
Unit Type of Package 2	BB1
Number of Units in Package 2	5
Package 2 Height	9 cm
Package 2 Width	19 cm
Package 2 Length	24 cm
Package 2 Weight	1.41 kg



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

∇ Environmental footprint	
Total lifecycle Carbon footprint	2
Environmental Disclosure	Product Environmental Profile

### **Use Better**

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
REACh Regulation	REACh Declaration

### **Use Again**

○ Repack and remanufacture	
End of life manual availability	No need of specific recycling operations
Take-back	No