Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

II CLIPSAL



Push Button Switch LED, Saturn Series, 6 Gang, 250V, 16AX/20A

4066PBL-EB

! Discontinued on: 10 Sept 2025

! To be discontinued

Main

Range of product	Saturn Series 4000	
Product or component type	Push-button	
Colour	Espresso black	
Product brand	Clipsal	
Device presentation	Basic element with full cover plate	

Complementary

Colour code	EB	
Actuator	Push-button	
Number of gangs	6 gangs	
Local signalling	Indicator light	
fixing mode	By screws	
Material	PVC (polyvinyl chloride)	
Surface finish	Glossy	
[Ue] rated operational voltage	250 V AC	
Inrush current	20 A	
Height	116 mm	
Depth	43.6 mm	
Embedding depth	31.6 mm	
Width	75 mm	
Mounting position	Horizontal/vertical	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5 cm
Package 1 Width	8.5 cm
Package 1 Length	12 cm
Package 1 Weight	238 g
Unit Type of Package 2	BB1

Number of Units in Package 2	10
Package 2 Height	84 cm
Package 2 Width	94 cm
Package 2 Length	126 cm
Package 2 Weight	2.47 kg



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

∇ Environmental footprint	
Total lifecycle Carbon footprint	5
Environmental Disclosure	Product Environmental Profile

Use Better

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture	
End of life manual availability	No need of specific recycling operations
Take-back	No