II CLIPSAL



Switchboard Metal Back Plate, MAX9, Type 2, 3 Row

E2315FBP

Main

| Range | MAX9 |
|---------------------------|------------|
| Product or component type | Back plate |

Complementary

| Height | 600 mm |
|---------------------------|--|
| Number of horizontal rows | 3 |
| Width | 252 mm |
| Enclosure material | galvanized steel |
| Depth | 1.6 mm |
| Provided equipment | (1) plate (4) screws Earthing wire |

Environment

| Standards | AS/NZS 3000 | |
|-----------|-------------|--|

Packing Units

| Unit Type of Package 1 | PCE |
|------------------------------|----------|
| Number of Units in Package 1 | 1 |
| Package 1 Height | 2.3 cm |
| Package 1 Width | 25.25 cm |
| Package 1 Length | 60.0 cm |
| Package 1 Weight | 2.076 kg |

Contractual warranty

| | <i>-</i> | | |
|----------|----------|--|--|
| Warranty | 7-year | | |



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

| ∅ Environmental footprint | |
|----------------------------------|-------------------------------|
| Total lifecycle Carbon footprint | 1 |
| Environmental Disclosure | Product Environmental Profile |

Use Better

| Packaging made with recycled cardboard | Yes |
|--|--|
| Packaging without single use plastic | Yes |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) |
| REACh Regulation | REACh Declaration |

Use Again

| ○ Repack and remanufacture | |
|---------------------------------|--|
| End of life manual availability | No need of specific recycling operations |
| Take-back | No |