

**THE NEW  
TRADE STAR  
LED FLOODLIGHT  
SE7169**



# THE NAME SAYS IT ALL





**Application:** Industrial and commercial exterior space, ideal for general purpose or security applications


**Design:**

- Five models 70, 100, 150, 200 & 250 watt
- Integral LED control gear
- Durable die-cast aluminium body profile
- Stylish black powder coat finish
- Pre-wired UV protected rubber flex for easy external termination
- Fitted, multifunction angled trunnion bracket for faster installation



## Performance:

- IP65
- IK08
- Wide beam 100 degree beam distribution
- Non-dimmable
- CCT 5000k standard or optional 3000k, CRI >80
- 8100lm to an impressive 30,000lm (>115lm/w) optical performance
- RCM registered



# THE NEW TRADE STAR LED FLOODLIGHT SE7169

## ORDERING SPECIFICATION

| Model            | Wattage (w) | Lumens (lm) | Mass (kg) |
|------------------|-------------|-------------|-----------|
| SE7169/70WW/BK   | 70          | 8100        | 1.9       |
| SE7169/70NDL/BK  | 70          | 8400        | 1.9       |
| SE7169/100WW/BK  | 100         | 11500       | 2.9       |
| SE7169/100NDL/BK | 100         | 12000       | 2.9       |
| SE7169/150WW/BK  | 150         | 17300       | 4.1       |
| SE7169/150NDL/BK | 150         | 18000       | 4.1       |
| SE7169/200WW/BK  | 200         | 23000       | 5.0       |
| SE7169/200NDL/BK | 200         | 24000       | 5.0       |
| SE7169/250WW/BK  | 250         | 28800       | 6.9       |
| SE7169/250NDL/BK | 250         | 30000       | 6.9       |



**Warranty** - 3 years commercial use, 5 years residential use



# OUR SUCCESS IS MEASURED BY OUR CUSTOMERS SUCCESS™



Issue June 2018 copyright SAL