


221 SeriesThe Way to Connect! Just got Bigger!



WAGO 221

COMPACT Splicing Connectors for All Conductor Types



- Continuous service temperature: max. 105°C
- Ambient temperature: max. 85°C (T85)















	4 mm ² variant				
	0.14 4 mm ² 0.2 4 mm ²		450 V / 4 kV / 2 32 A		
Descrip		Description		Item No.	Pack. Unit
		2-wire conne	ctors	221-412	100
		3-wire conne	ctors	221-413	50
		5-wire conne	ctors	221-415	25

	6 mm ² variant				
	0.5 6 mm ²	's + st + f-st" 450 V / 4 41 A	kV / 2		
		Description	Item N	o. I	Pack. Unit
NEW		2-wire connectors	221-61	2	50
		3-wire connectors	221-61	3	30
		5-wire connectors	221-61	5	15

WAGO 221

Accessories

	4 mm ² & 6 mm	4 mm ² & 6 mm ² Mounting Carriers		
		Description	Item No.	Pack. Unit
		Strain relief plate; for 221-500 Mounting Carrier	222-505	50
		Mounting carrier; for 2-, 3- and 5-wire connectors; 4 mm² variant	221-500	50
		Angled DIN-rail adapter; for horizontal mounting of 221-500 carrier on DIN-35 rail	222-510	50
NEW	101 11 101	Mounting carrier; for 2-, 3- and 5-wire connectors; 6 mm² variant	221-510	50

	4 mm² Mounting Carriers for screw mounting				
		Description	Item No.	Pack. Unit	
^		Mounting carrier; for 2-wire connectors; for screw mounting	221-502	50	
NEV		Mounting carrier; for 3-wire connectors; for screw mounting	221-503	50	
		Mounting carrier; for 5-wire connectors; for screw mounting	221-505	50	



WAGO Pty Ltd 2-4 Overseas Drive, Noble Park, Victoria, 3174, Australia Tel: +61 (0)3 8791 6300 Fax: +61 (0)3 9701 0177 sales.anz@wago.com www.wago.com.au

 $\hbox{WAGO is a registered trademark of WAGO Verwaltungsgesells chaft mbH.}$

"Copyright – WAGO Kontakttechnik GmbH & Co. KG – all rights reserved. The content and structure of the WAGO websites, catalogs, videos, and other WAGO media are subject to copyright. Distribution or modification to the contents of these pages and videos is prohibited. Furthermore, the content may neither be copied nor made available to third parties for commercial purposes. Also subject to copyright are the images and videos that were made available to WAGO Kontakttechnik GmbH & Co. KG by third parties.